

Conda - Reproducible Python Environments

Moritz Siegel

Conda & Anaconda & Mamba



- conda is the package manager core.
- miniconda is the package we installed to provide conda.
- anaconda is a proprietary (unfree!) summary of packages.
- mamba was a faster sister of conda.
- micromamba sister of miniconda.

we focus on conda via miniconda.

Start Conda



```
V IENNA
S CIENTIFIC
C LUSTER
```

```
zen trainee00@155:~$ module load miniconda3
```

Start conda bash hook to get the conda functions:

```
zen trainee00@155:~$ eval "$(conda shell.bash hook)"
(base) zen trainee00@155:~$ conda
usage: conda [-h] [-v] [--no-plugins] [-V] COMMAND ...

conda is a tool for managing and deploying applications,
environments and packages.
...
```

Note how the prompt now shows the **base** env.



Define Your Environment



Create a yaml file **defining** your environment.

```
name: myenv
channels:
   - conda-forge
   - defaults
dependencies:
   - python=3.10
   - tensorflow=2.15.0
```

Use e.g. nano myenv.yaml to write this file.

Create Your Environment



Create your conda env:

```
(base) zen trainee00@155:~$ conda env create --file myenv.yaml
Channels:
  - conda-forge
  - defaults
  - bioconda
Platform: linux-64
Collecting package metadata (repodata.json): /
...
```

Depending of the number of packages this might take some time.

Activate Your Environment



Activate your conda env, note how the prompt changes:

```
(base) zen trainee00@155:~$ conda env create --file myenv.yaml
(base) zen trainee00@155:~$ conda activate myenv
...
(myenv) zen trainee00@155:~$ python --version
Python 3.10.11
```

The python version shown is the installation from conda.

Submit Your Conda Env To Slurm



Create a slurm batch script starting your conda env and running python:

```
#!/bin/bash
#SBATCH --job-name=slurm conda example
#SBATCH --time=00-00:05:00
#SBATCH --ntasks=2
module load miniconda3
eval "$(conda shell.bash hook)"
conda activate myenv
```

Use e.g. nano myenv.sh to write this file.

List All Environments



```
(base) zen trainee00@155:~$ conda env list
          /home/fs70824/trainee00/.conda/envs/myenv
myenv
          /opt/sw/conda
base
py310
          /opt/sw/conda/envs/py310
pv311
          /opt/sw/conda/envs/pv311
py312
          /opt/sw/conda/envs/py312
          /opt/sw/conda/envs/pv38
py39
          /opt/sw/conda/envs/pv39
```

The star * shows the currently active environment.

Deactivate Your Environment



Deactivate your conda environment to get back to (base):

```
(myenv) zen trainee00@155:~$ conda deactivate
(base) zen trainee00@155:~$ conda deactivate
zen trainee00@155:~$
```

Type conda deactivate again to get out of conda completely.

Remove Your Environment



If you don't need them anymore please **remove** any old environments:

```
(base) zen trainee00@155:~$ conda env remove -n myenv

Remove all packages in environment /home/fs70824/trainee00/.conda/env
s/myenv:

Everything found within the environment (/home/fs70824/trainee00/.con
da/envs/myenv), including any conda environment configurations and an
y non-conda files, will be deleted. Do you wish to continue?
(y/[n])?
```

Conda creates many small files and might fill up your \$HOME file system quickly.

Exercises



- make a new empty directory contest to play around in.
- load miniconda3.
- write your own conda.yaml and install numpy.
- create a new env based on your conda.yaml.
- activate your env.
- find out what version of python is running there.
- submit a job to slurm printing the python version.
- deactivate and remove your environment.

Links



- ► There is a lot about python, conda and jypyter at our **python4hpc** courses: https://vsc.ac.at//research/vsc-research-center/vsc-school-seminar/
- In depth jupyter notebooks (ipynb) from the python4hpc course: https://gitlab.tuwien.ac.at/vsc-public/training/python4hpc/-/blob/main/D1_02_env_03_conda.ipynb
- Some basic usage like this example on our wiki: https://wiki.vsc.ac.at/doku.php?id=doku:python