

# N-WAYS GPU BOOTCAMP

## OPENACC



# OPENACC

## What to expect?

- Basic introduction to OpenACC directives
- HPC SDK Usage
- Portability across Multicore and GPU

# OpenACC is...

a directives-based  
**parallel programming model**  
designed for  
**performance** and **portability**.

Add Simple Compiler Directive

```
main()
{
  <serial code>
  #pragma acc kernels
  {
    <parallel code>
  }
}
```



## GAUSSIAN 16



Mike Friesch, Ph.D.  
President and  
CEO  
Gaussian, Inc.

“ Using OpenACC allowed us to continue development of our fundamental algorithms and software capabilities simultaneously with the GPU-related work. In the end, we could use the same code base for SMP, cluster/network and GPU parallelism. PGI's compilers were essential to the success of our efforts. ”




Image courtesy: ANSYS

## ANSYS FLUENT



Sunil Sathya  
Lead Software Developer  
ANSYS Fluent


“ We've effectively used OpenACC for heterogeneous computing in ANSYS Fluent with impressive performance. We're now applying this work to more of our models and new platforms. ”

## VASP



Prof. Georg Kresse  
Computational Materials Physics  
University of Vienna

“ For VASP, OpenACC is the way forward for GPU acceleration. Performance is similar and in some cases better than CUDA C, and OpenACC dramatically decreases GPU development and maintenance efforts. We're excited to collaborate with NVIDIA and PGI as an early adopter of CUDA Unified Memory. ”



## COSMO



Dr. Oliver Fuhrer  
Senior Scientist  
Matscorder

“ OpenACC made it practical to develop for GPU-based hardware while retaining a single source for almost all the COSMO physics code. ”



## E3SM



Mark A. Taylor  
Multiphysics Applications  
Sandia

“ The CAAR project provided us with early access to Summit hardware and access to PGI compiler experts. Both of these were critical to our success. PGI's OpenACC support remains the best available and is competitive with much more intrusive programming model approaches. ”




Image courtesy: Oak Ridge National Laboratory



## NUMECA FINE/Open



David Guizwiler  
Lead Software Developer  
NUMECA


“ Porting our unstructured C++ CFD solver FINE/Open to GPUs using OpenACC would have been impossible two or three years ago, but OpenACC has developed enough that we're now getting some really good results. ”

## SYNOPTIS



Dr. Lutz Schneider  
Senior R&D Engineer  
Synopsys Inc.

“ Using OpenACC, we've GPU-accelerated the Synopsys TCAD Sentaurus Device EMW simulator to speed up optical simulations of image sensors. GPUs are key to improving simulation throughput in the design of advanced image sensors. ”



## MPAS-A



Richard Loft  
Director, Technology Development  
NCAR

“ Our team has been evaluating OpenACC as a pathway to performance portability for the Model for Prediction (MPAS) atmospheric model. Using this approach on the MPAS dynamical core, we have achieved performance on a single P100 GPU equivalent to 2-7 dual socketed Intel Xeon nodes on our new Cheyenne supercomputer. ”





Image courtesy: NCAR

## VMD



John Stone  
Senior Research Programmer  
Brockham Institute  
University of Illinois

“ Due to Amdahl's law, we need to port more parts of our code to the GPU if we're going to speed it up. But the sheer number of routines poses a challenge. OpenACC directives give us a low-cost approach to getting at least some speed-up out of these second-tier routines. In many cases it's completely sufficient because with the current algorithms, GPU performance is bandwidth-bound. ”



## GTC



Zhihong Lin  
Professor and Principal Investigator  
UC Irvine

“ Using OpenACC our scientists were able to achieve the acceleration needed for integrated fusion simulation with a minimum investment of time and effort in learning to program GPUs. ”

**OpenACC**  
More Science. Less Programming

## GAMERA



Takuma Yamaguchi, Kohji Fujita, Shotaichi Ichimaru, Masaki Hori, Lutz Schneider  
The University of Tokyo

“ With OpenACC and a compute node based on NVIDIA's Tesla P100 GPU, we achieved more than a 14X speed up over a K Computer node running our earthquake disaster simulation code. ”




Map courtesy: University of Tokyo

## SANJEEVINI



Abhilash Jayaram  
Project Scientist  
Indian Institute of Technology  
New Delhi

“ In an academic environment maintenance and speeding of existing codes is a tedious task. OpenACC provides a great platform for computational scientists to accomplish both tasks without involving a lot of efforts or manpower in speeding up the entire computational task. ”



## IBM-CFD



Sorenath Roy  
Assistant Professor  
Mechanical Engineering Department  
Indian Institute of Technology Kharagpur


“ OpenACC can prove to be a handy tool for computational engineers and researchers to obtain fast solution of non-linear dynamics problem in immersed boundary incompressible CFD. We have obtained order of magnitude reduction in computing time by porting several components of our legacy codes to GPU. Especially the routines involving search algorithm and matrix solvers have been well-accelerated to improve the overall scalability of the code. ”

## PWscf (Quantum ESPRESSO)



Filippo Sgopa  
Senior Contributor  
Quantum ESPRESSO group

“ CUDA Fortran gives us the full performance potential of the CUDA programming model and NVIDIA GPUs. While leveraging the potential of explicit data movement, ISCUF KERNELS directives give us productivity and source code maintainability. It's the best of both worlds. ”




## MAS



Ronald M. Caplan  
Computational Scientist  
Predictive Science Inc.

“ Adding OpenACC into MAS has given us the ability to migrate medium-sized simulations from a multi node CPU cluster to a single multi-GPU server. The implementation yielded a portable single-source code for both CPU and GPU runs. Future work will add OpenACC to the remaining model features, enabling GPU accelerated realistic solar storm modeling. ”



# OpenACC Directives

Manage Data Movement → `#pragma acc data copyin(a,b) copyout(c)`  
Initiate Parallel Execution → `{`  
`... #pragma acc parallel`  
`{ #pragma acc loop gang vector`  
`for (i = 0; i < n; ++i) {`  
`c[i] = a[i] + b[i];`  
`... }`  
Optimize Loop Mappings → `}`  
`... }`

Incremental  
Single source  
Interoperable  
Performance portable  
CPU, GPU, Manycore

**OpenACC**  
Directives for Accelerators

# OPENACC SYNTAX

## Syntax for using OpenACC directives in code

C/C++

```
#pragma acc directive clauses  
<code>
```

Fortran

```
!$acc directive clauses  
<code>
```

A **pragma** in C/C++ gives instructions to the compiler on how to compile the code. Compilers that do not understand a particular pragma can freely ignore it.

A **directive** in Fortran is a specially formatted comment that likewise instructions the compiler in its compilation of the code and can be freely ignored.

“**acc**” informs the compiler that what will come is an OpenACC directive

**Directives** are commands in OpenACC for altering our code.

**Clauses** are specifiers or additions to directives.




# OPENACC PARALLEL DIRECTIVE

## Expressing parallelism

```
#pragma acc parallel  
{
```

When encountering the ***parallel*** directive, the compiler will generate *1 or more parallel gangs*, which execute redundantly.



# OPENACC PARALLEL DIRECTIVE

Expressing parallelism


```
#pragma acc parallel
```

```
{
```

*loop*

```
    for(int i = 0; i < N; i++)  
    {  
        // Do Something  
    }
```

This loop will be  
executed redundantly  
on each gang





# OPENACC PARALLEL DIRECTIVE


Expressing parallelism

```
#pragma acc parallel  
{
```

```
    #pragma acc loop  
    for(int i = 0; i < N; i++)  
    {  
        // Do Something  
    }
```

```
}
```

The ***loop*** directive informs the compiler which loops to parallelize.



# OPENACC PARALLEL DIRECTIVE

## Parallelizing a single loop

### C/C++

```
#pragma acc parallel
{
    #pragma acc loop
    for(int i = 0; i < N; i++)
        a[i] = 0;
}
```

Use a **parallel** directive to mark a region of code where you want parallel execution to occur

This parallel region is marked by curly braces in C/C++ or a start and end directive in Fortran

### Fortran

```
!$acc parallel
    !$acc loop
    do i = 1, N
        a(i) = 0
    end do
!$acc end parallel
```

The **loop** directive is used to instruct the compiler to parallelize the iterations of the next loop to run across the parallel gangs

# OPENACC PARALLEL LOOP DIRECTIVE

## Combined directive for parallelising a single loop

### C/C++

```
#pragma acc parallel loop
for(int i = 0; i < N; i++)
    a[i] = 0;
```

This pattern is so common that you can do all of this in a single line of code

In this example, the parallel loop directive applies to the next loop

This directive both marks the region for parallel execution and distributes the iterations of the loop.

When applied to a loop with a data dependency, parallel loop may produce incorrect results

### Fortran

```
!$acc parallel loop
do i = 1, N
    a(i) = 0
end do
```



# BUILD AND RUN THE CODE



# NVIDIA HPC SDK

- Comprehensive suite of compilers, libraries, and tools used to GPU accelerate HPC modeling and simulation application
- The NVIDIA HPC SDK includes the new NVIDIA HPC compiler supporting OpenACC C and Fortran
  - The command to compile C code is 'nvc'
  - The command to compile C++ code is 'nvc++'
  - The command to compile Fortran code is 'nvfortran'

```
nvc -fast -Minfo=accel -ta=tesla:managed main.c
```

```
nvfortran -fast -Minfo=accel -ta=tesla:managed main.f90
```

# BUILDING THE CODE

-Minfo shows more details

```
$ nvc -fast -ta=multicore -Minfo=accel laplace2d_uvm.c
```

```
main:
```

```
63, Generating Multicore code
```

```
64, #pragma acc loop gang
```

```
64, Accelerator restriction: size of the GPU copy of Anew,A is unknown
```

```
Generating reduction(max:error)
```

```
66, Loop is parallelizable
```

```
$ nvc -fast -ta=tesla:managed -Minfo=accel rdf.c
```

```
main:
```

```
63, Accelerator kernel generated
```

```
Generating Tesla code
```

```
64, #pragma acc loop gang /* blockIdx.x */
```

```
Generating reduction(max:error)
```

```
66, #pragma acc loop vector(128) /* threadIdx.x */
```

```
63, Generating implicit copyin(A[:])
```

```
Generating implicit copy(error)
```

```
66, Loop is parallelizable
```



# RDF

## Pseudo Code - C

```
for (int frame=0;frame<nconf;frame++) {  
    for(int id1=0;id1<numatm;id1++) {  
        for(int id2=0;id2<numatm;id2++) {  
            dx=d_x[id1]-d_x[id2];  
            dy=d_y[id1]-d_y[id2];  
            dz=d_z[id1]-d_z[id2];  
            r=sqrtf(dx*dx+dy*dy+dz*dz);  
  
            if (r<cut) {  
                ig2=(int)(r/del);  
                d_g2[ig2] = d_g2[ig2] +1 ;  
            }  
        }  
    }  
}
```

- Across Frames
- Find Distance
- Reduction

# RDF

## Pseudo Code - C

```
for (int frame=0;frame<nconf;frame++) {  
    #pragma acc parallel loop  
    for(int id1=0;id1<numatm;id1++) {  
        for(int id2=0;id2<numatm;id2++) {  
            dx=d_x[id1]-d_x[id2];  
            dy=d_y[id1]-d_y[id2];  
            dz=d_z[id1]-d_z[id2];  
            r=sqrtf(dx*dx+dy*dy+dz*dz);  
  
            if (r<cut) {  
                ig2=(int)(r/del);  
                #pragma acc atomic  
                d_g2[ig2] = d_g2[ig2] +1 ;  
            }  
        }  
    }  
}
```

- Parallel loop construct
- Atomic construct

# RDF

## Pseudo Code - Fortran

```
do iconf=1,nframes
  if (mod(iconf,1).eq.0) print*,iconf
  !$acc parallel loop
  do i=1,natoms
    do j=1,natoms
      dx=x(iconf,i)-x(iconf,j)
      dy=y(iconf,i)-y(iconf,j)
      dz=z(iconf,i)-z(iconf,j)
      ...
      if(r<cut)then
        !$acc atomic
        g(ind)=g(ind)+1.0d0
      endif
    enddo
  enddo
enddo
```

- Parallel Loop construct
- Atomic Construct



# REFERENCES

<https://www.openacc.org/get-started>

<https://developer.nvidia.com/hpc-sdk>



# Memory management




# CUDA UNIFIED MEMORY


Simplified Developer Effort

Commonly referred to as  
*“managed memory.”*

Without Managed Memory



With Managed Memory






# MANAGED MEMORY

## Limitations

- The programmer may be able to get better performance by manually handling data transfers
- Memory allocation/deallocation takes longer with managed memory

### With Managed Memory



# DATA CLAUSES

`copy( list )`

**Allocates memory on GPU and copies data from host to GPU when entering region and copies data to the host when exiting region.**

**Principal use:** For many important data structures in your code, this is a logical default to input, modify and return the data.

`copyin( list )`

**Allocates memory on GPU and copies data from host to GPU when entering region.**

**Principal use** Think of this like an array that you would use as just an input to a subroutine.

`copyout( list )`

**Allocates memory on GPU and copies data to the host when exiting region.**

**Principal use:** A result that isn't overwriting the input data structure.

`create( list )`

**Allocates memory on GPU but does not copy.**

**Principal use:** Temporary arrays.

# ARRAY SHAPING

Sometimes the compiler needs help understanding the *shape* of an array

The first number is the start index of the array

In C/C++, the second number is how much data is to be transferred

In Fortran, the second number is the ending index

```
copy(array[starting_index:length])
```

C/C++

```
copy(array(starting_index:ending_index))
```

Fortran

# ARRAY SHAPING (CONT.)

## Multi-dimensional Array shaping

```
copy(array[0:N][0:M])
```

C/C++

Both of these examples copy a 2D array to the device

```
copy(array(1:N, 1:M))
```

Fortran



# OPENACC DATA DIRECTIVE

## Definition

The data directive defines a lifetime for data on the device beyond individual loops

During the region data is essentially “owned by” the accelerator

Data clauses express shape and data movement for the region

```
#pragma acc data clauses  
{  
    < Sequential and/or Parallel code >  
}
```

```
!$acc data clauses  
    < Sequential and/or Parallel code >  
!$acc end data
```

# STRUCTURED DATA DIRECTIVE

## Example

```
#pragma acc data copyin(a[0:N], b[0:N]) copyout(c[0:N])  
{  
    #pragma acc parallel loop  
    for(int i = 0; i < N; i++){  
        c[i] = a[i] + b[i];  
    }  
}
```

### Action

Allocate an OpenACC region from CPU to device  
Allocate an OpenACC region from device to CPU  
Allocate an OpenACC region from device to device

### Host Memory



### Device memory



# Acknowledgment

Copyright © 2022 [OpenACC-Standard.org](https://OpenACC-Standard.org). This material is released by [OpenACC-Standard.org](https://OpenACC-Standard.org), in collaboration with NVIDIA Corporation, under the Creative Commons Attribution 4.0 International (CC BY 4.0). These materials may include references to hardware and software developed by other entities; all applicable licensing and copyrights apply.



Learn more at

[WWW.OPENHACKATHONS.ORG](http://WWW.OPENHACKATHONS.ORG)